



User administration incl. assignment of rights

In the following document we describe how to create new users and how to define user rights.

Index

Create and administrate users.....	2
Administration of rights for each user	5
Create groups of user rights (Programs, Administration fields, voucher types, real accounts).....	8
Create roles.....	11
Options logon (password policies)	12
Printout of the created/assigned rights (overview as list)	14
Encryption of database password within INI (sesfibu)	17



Create and administrate users

The following menu item is only visible for the user „SUPERVISOR“ or for a user with administrator-rights.

Special programs => System administration => Create User

Number

The number of the user (arbitrary)
You can get a list of the already existing users with "F3"

User

Name

With this username the user can login later

Password

This is the password for this user. The password has to be entered twice if you enter a new one or change the existing one because of security reasons.



Identification	This is a short name (e.g. initials) of each user. It will be printed for example on your reports.
Language	In which language the application should run for this user.
Windows Login	If the EuroFib username matches with the username of the operating system Windows, you don't need an extra login for EuroFib. The user will be logged in to EuroFib automatically.
<u>Print</u>	
Landscape	Reports are printed in landscape format
Portrait	Reports are printed in portrait format
Print page	The pagenummer (Page X/Y) will be printed
Print date	The date of the printout will be printed
Optical line finder	The background colour will be changed after 3 lines for the next 3 lines (for a better optical view)
Close preview	The preview will be closed automatically after a printout
Graphik level	Selection of the graphik level <ul style="list-style-type: none">• Complete graphics• Without colours• Without colours lines• Without colours lines margins• complete
Active	User active/inactive
Change password on next login	The user will be prompted to change his password on the next login



Date format

Input

Input format of the date
Standard – Setting of Windows
YYYY.MM.DD
DD.MM.YYYY

Print

Format of the date for printouts
Standard – Setting of Windows
YYYY.MM.DD
DD.MM.YYYY

Settings

Variable line display

This setting adjust the number of lines
(posting lines within posting online, account
sheet, open items, etc.) automatically to your
screen size/resolution.

Adjust to screen resolution

The size of the masks will be
reduced/enlarged
(Default size 100%)

Button „Rights“

Here you open the rights administration for
this user

Button „Rights - Views“

Here you open the rights administration for
the views for each user (additional module)

For details please have a look at the
description „Views“.



Administration of rights for each user

A new created user doesn't have access to a client because of security reasons. You have to activate this in the administration of rights.

Additional you can restrict/extend the rights of a user with the assignment of groups for each client.

Special programs => System administration => Create User

In the following window you can assign previous defined rights from the categories

- Programs (Care of menu items)
- Field administration (Care of fields)
- Cost units (Care of cost units)
- Roles (Care of special rights)

to the user and also the access to the clients.



Access to clients

If the user has access to a client, this will be displayed with a green check. A red X instead means, that the access is disallowed. You can change this status with a simple click on the right mouse button.

Rights administration

Open the desired category in the right window and drag the desired group of rights (e.g. Grp 1) via Drag & Drop to the desired client in the left window. Now this group of rights is assigned to the user in the desired client.

If you want to assign a group of rights to all clients generally, you can place it via Drag & Drop under „Standard“ (it's always the first client in the first line)


Additional functions of the right mouse button:

Delete

Delete previous defined rights

Copy from user

Copy the rights of an existing user (the assigned groups of rights will be added, the access to clients will be adapted.)





After you are finished you have to click „Accept“ and additional you have to save the user via F10 in the „Create User“ mask!

If you have enabled "default" permissions (programs/roles), they will be automatically copied to "Standard".



Create groups of user rights (Programs, Administration fields, voucher types, real accounts)

Special programs => System administration => Rights Administration => Programs

Here you are able to create groups of user rights for programs. (= menu items)


To create a new group, enter a free definable number/description in the **top area**.
If you activate the checkbox on the right, this group is automatically assigned as default when assigning rights.

In the **bottom area** you can see the whole menu of EuroFib for Windows.
Pull the desired menu items via Drag & Drop from the left area to the right area under **"Protect"** (grey, not clickable) or under **"Invisible"** (you can't see the menu item).


You can **delete** this **assignment** via click on the red icon.

You have to **assign** these groups of user rights **to your desired users**.
(see topic "Administration of rights for each user")

In our example we create a group „without posting“ and set the menu items „posting“ under „Protect“. If you assign this group „without posting“ to your user later, he can't click the menu items "Posting" anymore.



Result:





Special programs => System administration => Rights Administration => Administration fields

Here you are able to create groups of user rights for all single fields on each mask.

The **handling** of this program „Administration fields“ is **identical** to the menu item “Programs”.

In our example we create a group „Debitor without street“ and set the field „Street“ under „Protect“. If you assign this group “Debitor without street” to your user later, he can't enter/change the field “street” within the basic data of debtors anymore.

number	1	Debitor without street	creation	29.09.2011	SUP
			change	29.09.2011	SUP

protect	
table name	column names
debitoren	kod_strasse

invisible	
table name	column names

Result:

Debtors data	
account no.	20003
matchcode	KUNDE XY
customer no.	
creation	05.02.2010
change	15.03.2011
SUP	SUP

Form of address	
acad. title	
first name	
surname	Kunde XY
name 2	
supplement	
street	
country sign	A ÖSTERREICH
pcode / place	1210 Wien

phone	
fax	
telex	
eMail	
tax number	
tax number2	
DienstgeberNr	
acc. structure ident.	<input type="checkbox"/>
active	<input type="checkbox"/>
locked	<input type="checkbox"/>



Special programs => System administration => Rights Administration => Voucher types

Here you are able to create groups of user rights for all single fields on each mask.

To create a new group, enter a free definable number/description in the **top area**.

In the **bottom area** you enter the desired voucher types for this group.

Belegarten	
Nummer	1 Only debtors/creditors
Anlage	13.06.2016
Änderung	13.06.2016
SUP	SUP
Belegart	
<input type="checkbox"/> AG	
<input type="checkbox"/> AR	
<input type="checkbox"/> EG	
<input type="checkbox"/> ER	
<input type="checkbox"/>	

A user with this group 1 is only able to post the defined voucher types.
(Posting online, Stack posting)

Special programs => System administration => Rights Administration => Real accounts

Here you are able to create groups of user rights for a restriction of general ledger accounts. These accounts are not accessible on account sheets, open items lists and journals anymore. The posting line and change account lines is also restricted for these accounts.

To create a new group, enter a free definable number/description in the **top area**.

In the **bottom area** you enter the desired accounts (areas) for this group.

Programme	
Nummer	1 Gehalt
Anlage	27.01.2020
Änderung	27.01.2020
SUP	SUP
Konto von	Konto bis
<input type="checkbox"/> 6	6
<input type="checkbox"/> 7000	7000
<input type="checkbox"/>	



Create roles

Special programs => System administration => Rights Administration => Roles

In the category „roles“ you can find special rights for several topics which you can assign to free definable groups.

number	1	Superuser		creation	10.02.2021	SUP
				change	10.02.2021	SUP
real accounts						
debtors						
creditors						
booking						
cost accounting						
Project accounting						
AMS						
system						
cash						
In...						
Administrator			<input type="checkbox"/>			
superuser			<input checked="" type="checkbox"/>			
Mark booking as deleted (all)			<input type="checkbox"/>			
Mark booking as deleted (only own)			<input type="checkbox"/>			
deleted client/booking year			<input type="checkbox"/>			
database administrator			<input type="checkbox"/>			
Translate			<input type="checkbox"/>			
no granting of rights			<input type="checkbox"/>			
no creation of user			<input type="checkbox"/>			
delete closed open items			<input type="checkbox"/>			
install update			<input type="checkbox"/>			
PS data carrier - copy			<input type="checkbox"/>			

Number

The number of the role (arbitrary)
You can get a list of the already existing
roles with "F3"

Description

Description of the role

If you activate the checkbox on the right, this group is automatically assigned as default when assigning rights.

In the bottom area you can activate/deactivate the desired roles on each tabpage (Debtors, Creditors, Posting, ...)

A detailed description of each role will be displayed as a tooltip (place the cursor over the line)




Options logon (password policies)

Special programs => System administration => Options logon

Here you can define several password policies, for example the length or the validity of your passwords.

If you move your mouse cursor over an option, a detailed description will be displayed (tooltip)

These policies are valid for the whole application.





Rights within Address record

The tabpage „rights“ under „Basic data => Company index => Address record“ has been changed too.

If an icon is displayed in the line of the user means that minimum one right is assigned to this user.

- P(rograms)
- F(ield administration)
- C(ost units)
- R(oles)

With a click on „Rights“ you open the rights assignment mask only for this client.

Company's data

Client Accounting years **Rights** Information

client 9002 Demoklient basic currency EUR
A-1210 Wien acc. structure

active user	name	identification	access	P	F	C	c
<input checked="" type="checkbox"/>	1 SUPERVISOR	SUP	<input checked="" type="checkbox"/>	rights			
<input checked="" type="checkbox"/>	2 RIGHTS	RI	<input checked="" type="checkbox"/>	rights			



Printout of the created/assigned rights (overview as list)

Special programs => System administration => Rights administration => Print out

With this program you are able to printout the allocated rights to an user (Access to clients, program groups, roles, ...).

	from	to	Sort	selection
user	<input checked="" type="checkbox"/> 27	— 27	1	all
client	<input checked="" type="checkbox"/> 9001	— 9005	2	vorhandene
Groups				
programs	<input type="checkbox"/>	—	3	
Administration fields	<input type="checkbox"/>	—	3	
cost unit	<input type="checkbox"/>	—	3	
Roles	<input checked="" type="checkbox"/>	—	3	
User/Klienten ohne Zuordnung <input checked="" type="checkbox"/>				

user	Restriction user number from/to
client	Restriction client number from/to
programs	Restriction program groups from/to
administration fields	Restriction administration fields from/to
cost unit	Restriction cost unit from/to
roles	Restriction roles from/to
User/Klient ohne Zuordnung	printout of clients which are not allocated to a group (no restriction of rights/groups)
sort	sort of this list. Max. 3 groups/sorts are possible
user/selection	all – all users are printed gesperrte (locked) – only user which are locked for the selected clients released – only user which have access to the selected clients
client/selection	all – all clients are printed Vorhandene (existing) – only existing clients are printed (it's possible that some clients don't exist in Eurofib through import/delete client) Nicht vorhanden (not existing) – only clients which don't exist in Eurofib are printed



You start this list with print/preview.

vmd User / Rechte

9001/13 Testklient HR-1210 Wien licence: 10048/7.1 user: SUP 2013-07-17/09:49 page: 1/1

User / Rechte

assorted by: user: 027 - 027
client: 9001 - 9005
group: Roles

user: 27 AST

- ✓ client: 9001 Firma Testklient, HR-1210 Wien
group: 001 SuperUser (Roles)
group: 013 edit stack (Roles)
- ✓ client: 9002 Budget, AU-1210 Wien
group: 013 edit stack (Roles)

On tabpage „roles“ you are able to print an overview of all available role groups and single roles:

UserRechte drucken

Allgemein Rollen

Rollen -

On tabpage „voucher types“ you are able to print an overview of all available voucher type groups:

UserRechte drucken

Allgemein Rollen Belegarten

Gruppe -



On tabpage „views“ you are able to print an overview of all available rights for views for each user/client:

UserRechte drucken

Allgemein Rollen Belegarten **Sichten**

User [dropdown] - [dropdown]

Klient [dropdown] - [dropdown]

Sicht [dropdown]

Buchen erlaubt / gesperrt [dropdown]

Auswertung erlaubt / gesperrt [dropdown]


Sortierung User / Sicht / Klient [dropdown]



Encryption of database password within INI (sesfibu)

Normally the login informations for the database are saved in the configuration file of Eurofib (EUROWIN.INI) in plain writing. So everyone is able to see these informations.


Example of the EUROWIN.INI (excerpt) without encryption:



For security reasons we suggest to encrypt this password.
Just start „eurofib.exe“ from the command line with the additional parameter „admin“.


e.g.: CMD-command: C:\PwEuro\Programm\eurofib.exe admin

In the following administration window just activate the check „Encrypt Password“ and enter the desired password twice. After that click the „save“ button.





Example of the EUROWIN.INI (excerpt) with encryption:



```

[Database]
Name=MSSql-Server-2005
User=sesfibu
Password=
ePassword_V7=/x29138/x119/x18347/x-19731/x-2384/x16052/x11327

```